

**Couronnes ASA/DIN 8188
pour chaînes de transmission**

**Plaatwielen voor
rollenkettingen ASA/DIN 8188**

**Platewheels for
roller chains ASA/DIN 8188**


**Kettenradscheiden
für Rollenketten ASA/DIN 8188**

3/8" x 3/16"

(ØR 5.08mm)

ASA 35-1

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		



Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
----------	--	--	---------	--	--	--------	--	--	---------	--	--


Z	De	Dp	D	kg	art. n°	D	kg	art. n°	D	kg	art. n°
30	96.00	91.12	12		105CA108030						
32	102.06	97.17	12		105CA108032						
36	114.17	109.29	12		105CA108036						
38	120.22	115.34	12		105CA108038						
40	126.28	121.40	12		105CA108040						
45	141.43	136.55	16		105CA108045						
48	150.52	145.64	16		105CA108048						
57	177.79	172.91	16		105CA108057						
76	235.37	230.49	20		105CA108076						

!! remarque / opmerking / observation / Bemerkung ----> pg 0 !!

Mat C43

1/2" x 5/16" (ØR 7.94mm) ASA 40-1

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		



Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
----------	--	--	---------	--	--	--------	--	--	---------	--	--


Z	De	Dp	D	kg	art. n°	D	kg	art. n°	D	kg	art. n°
30	128.06	121.50			105CA108030				20		105CA308030
32	136.13	129.57			105CA108032	16		105CA208032			
38	160.35	153.79			105CA108038	20		105CA208038	25		105CA308038
40	168.43	161.87			105CA108040	20		105CA208040			
42	176.50	169.94	20		105CA108042						
45	188.62	182.06	20		105CA108045	20		105CA208045	25		105CA308045
48	200.74	194.18	20		105CA108048						
57	237.10	230.54	20		105CA108057	25		105CA208057	25		105CA308057
76	313.88	307.32	25		105CA108076	25		105CA208076	25		105CA308076
95	390.67	384.11			105CA108095	25		105CA208095			

!! remarque / opmerking / observation / Bemerkung ----> pg 0 !!

Mat C43

5/8" x 3/8" (ØR 10.16mm) ASA 50-1-2-3

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platewheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		




Z	De	Dp	D	kg	art. n°	Z	De	Dp	D	kg	art. n°
8	47.0	41.48	10	0.06	105CA110008	44	230.0	222.53	20	2.63	105CA110044
9	52.6	46.42	10	0.09	105CA110009	45	235.0	227.58	20	2.75	105CA110045
10	57.5	51.37	10	0.11	105CA110010	46	240.1	232.63	20	2.88	105CA110046
11	63.0	56.34	10	0.14	105CA110011	47	245.1	237.68	20	3.00	105CA110047
12	68.0	61.34	10	0.17	105CA110012	48	250.2	242.73	20	3.14	105CA110048
13	73.0	66.32	10	0.20	105CA110013	49	255.2	247.78	20	3.28	105CA110049
14	78.0	71.34	12	0.23	105CA110014	50	260.3	252.82	20	3.42	105CA110050
15	83.0	76.36	12	0.27	105CA110015	51	265.3	257.87	20	3.56	105CA110051
16	88.0	81.37	12	0.31	105CA110016	52	270.4	262.92	20	3.70	105CA110052
17	93.0	86.39	12	0.36	105CA110017	53	275.4	267.97	20	3.85	105CA110053
18	98.3	91.42	12	0.41	105CA110018	54	280.5	273.03	20	4.00	105CA110054
19	103.3	96.45	12	0.46	105CA110019	55	285.5	278.08	20	4.15	105CA110055
20	108.4	101.49	12	0.51	105CA110020	56	290.6	283.13	25	4.30	105CA110056
21	113.4	106.52	12	0.57	105CA110021	57	296.0	288.18	25	4.46	105CA110057
22	118.0	111.55	12	0.62	105CA110022	58	300.7	293.23	25	4.62	105CA110058
23	123.5	116.58	12	0.68	105CA110023	59	305.7	298.27	25	4.76	105CA110059
24	128.3	121.62	12	0.75	105CA110024	60	310.8	303.32	25	4.95	105CA110060
25	134.0	126.66	12	0.82	105CA110025	62	321.4	313.43	25	5.30	105CA110062
26	139.0	131.70	16	0.88	105CA110026	64	331.5	323.53	25	5.65	105CA110064
27	144.0	136.75	16	0.95	105CA110027	65	336.5	328.58	25	5.83	105CA110065
28	148.7	141.78	16	1.03	105CA110028	66	341.6	333.63	25	6.03	105CA110066
29	153.8	146.83	16	1.11	105CA110029	68	351.7	343.74	25	6.40	105CA110068
30	158.8	151.87	16	1.19	105CA110030	70	361.8	353.84	25	6.79	105CA110070
31	163.9	156.92	16	1.28	105CA110031	72	371.9	363.95	25	7.19	105CA110072
32	168.9	161.95	16	1.36	105CA110032	75	387.1	379.09	25	7.81	105CA110075
33	174.5	167.00	16	1.45	105CA110033	76	392.1	384.16	25	8.02	105CA110076
34	179.0	172.05	16	1.55	105CA110034	78	402.2	394.25	25	8.46	105CA110078
35	184.1	177.10	16	1.64	105CA110035	80	412.3	404.35	25	8.91	105CA110080
36	189.1	182.15	20	1.73	105CA110036	85	437.6	429.62	30	10.06	105CA110085
37	194.2	187.20	20	1.83	105CA110037	90	462.8	454.88	30	11.30	105CA110090
38	199.2	192.24	20	1.94	105CA110038	95	495.0	480.14	30	12.61	105CA110095
39	204.2	197.29	20	2.05	105CA110039	100	513.4	505.40	30	13.99	105CA110100
40	209.3	202.34	20	2.16	105CA110040	110	563.9	555.92	30	16.97	105CA110110
41	214.8	207.39	20	2.28	105CA110041	114	584.1	576.13	30	19.98	105CA110114
42	219.9	212.44	20	2.39	105CA110042	120	614.4	606.44	30	22.17	105CA110120
43	224.9	217.49	20	2.50	105CA110043	125	639.7	631.71	30	24.08	105CA110125

!! remarque / opmerking / observation / Bemerkung ----> pg 0 !!

Mat C43

3/4" x 1/2" (ØR 11.91mm) ASA 60-1-2-3

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		




Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
Z	De	Dp	D	kg	art. n°	D	kg	art. °	D	kg	art. n°
30	192.14	182.25	16	2.10	105CA112030				20		105CA312030
32	202.7	194.35	20	2.39	105CA112032	20		105CA212032			
38	239.0	230.69	20	3.42	105CA112038	25		105CA212038	25		105CA312038
40	255.1	242.81	20	3.85	105CA112040	25		105CA212040			
45	282.98	273.09	25	4.05	105CA112045	25		105CA212045	25		105CA312045
48	301.16	291.27	25	4.98	105CA112048						
57	355.70	345.81	25	5.63	105CA112057	25		105CA212057	30		105CA312057
76	470.87	460.98	30	6.23	105CA112076	30		105CA212076	30		105CA312076
95	586.06	576.17	30	7.01	105CA112095	30		105CA212095			

!! remarque / opmerking / observation / Bemerkung ----> pg 0 !!
 Mat C43

1" x 5/8" (ØR 15.88mm) ASA 80-1-2-3

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		



Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
----------	--	--	---------	--	--	--------	--	--	---------	--	--


Z	De	Dp	D	kg	art. n°	D	kg	art. n°	D	kg	art. n°
10	95.32	82.19	15	0.32	105CA116010						
11	103.28	90.14	15	0.55	105CA116011						
12	111.26	98.14	15	0.77	105CA116012						
13	119.26	106.12	15	0.86	105CA116013						
14	127.27	114.15	15	1.01	105CA116014						
15	135.29	122.17	15	1.23	105CA116015						
16	143.32	130.20	20	1.43	105CA116016						
17	151.35	138.22	20	1.64	105CA116017						
18	159.39	146.28	20	1.85	105CA116018						
19	167.44	154.33	20	2.08	105CA116019						
20	175.49	162.38	20	2.12	105CA116020						
21	183.54	170.43	20	2.54	105CA116021						
22	191.60	178.48	20	2.84	105CA116022						
23	199.66	186.53	20	3.13	105CA116023						
24	207.72	194.59	20	3.42	105CA116024						
25	215.78	202.66	20	3.98	105CA116025	25		105CA216025	30		105CA316025
26	223.84	210.72	20	4.05	105CA116026						
27	231.91	218.79	20	4.53	105CA116027						
28	239.98	226.85	20	4.73	105CA116028						
30	256.12	243.00	20	5.46	105CA116030	25		105CA216030	30		105CA316030
32	272.26	259.13	25	7.06	105CA116032						
35	296.48	283.36	25	7.49	105CA116035						
38	320.70	307.59	25	8.88	105CA116038	25		105CA216038	30		105CA316038
45	377.24	364.12	25	9.03	105CA116045	25		105CA216045	30		105CA316045
50	417.64	404.52	25	9.85	105CA116050						
57	474.20	461.08	25	10.26	105CA116057	25		105CA216057	40		105CA316057
76	627.80	614.64	25	11.03	105CA116076	25		105CA216076	40		105CA316076

1"1/4 x 3/4"

(ØR 19.05mm)

ASA 100-1-2-3

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		




Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
Z	De	Dp	D	kg	art. n°	D	kg	art. n°	D	kg	art. n°
8	98.1	82.96	16		105CA120008						
9	108.0	92.84	16		105CA120009						
10	117.9	102.74	16		105CA120010						
11	127.8	112.68	16		105CA120011						
12	137.8	122.68	20		105CA120012						
13	147.8	132.65	20		105CA120013						
14	157.8	142.68	20		105CA120014						
15	167.8	152.72	20		105CA120015						
16	177.9	162.75	25		105CA120016						
17	187.9	172.78	25	2.96	105CA120017						
18	198.0	182.85	25	3.28	105CA120018						
19	208.1	192.91	25	4.62	105CA120019						
20	218.1	202.98	25		105CA120020	25		105CA220020			
21	228.2	213.04	25		105CA120021						
22	238.3	223.11	25		105CA120022						
23	248.3	233.17	25		105CA120023						
24	258.4	243.23	25		105CA120024						
25	268.5	253.33	25		105CA120025	25		105CA220025			
26	278.6	263.40	25		105CA120026						
27	288.6	273.40	25		105CA120027						
28	298.6	283.56	25		105CA120028						
29	308.8	293.65	25		105CA120029						
30	318.9	303.75	25		105CA120030	25		105CA220030			
31	329.0	313.85	25		105CA120031						
32	339.1	323.91	25		105CA120032						
33	349.2	334.01	25		105CA120033						
34	359.3	344.10	25		105CA120034						
35	369.4	354.20	25		105CA120035						
36	379.5	364.30	25		105CA120036						
37	389.5	374.39	25		105CA120037						
38	399.6	384.49	25		105CA120038	30		105CA220038			
39	409.7	394.59	25		105CA120039						
40	419.8	404.68	25		105CA120040						
45	470.3	455.17	30		105CA120045	30		105CA220045			
57	591.5	576.36	30		105CA120057	30		105CA220057			

Mat C43

1"1/2 x 1" (ØR 22.22mm) ASA 120-1-2-3

couronne ASA	pour chaînes de transmission	DIN 8188	ISO/R606
Plaatwielen ASA	voor rollenkettingen		
Platwheels ASA	for roller chains		
Kettenradscheiben ASA	für Rollenketten		



Mat. C43			SIMPLEX			DUPLEX			TRIPLEX		
----------	--	--	---------	--	--	--------	--	--	---------	--	--

Z	De	Dp	D	kg	art. n°	D	kg	art. n°	D	kg	art. n°
16	214.77	195.29	25	4.88	105CA124016						
17	226.83	207.35	25	5.69	105CA124017	25		105CA224017			
18	238.89	219.41	25	6.29	105CA124018	25		105CA224018			
20	263.03	243.55	25	7.95	105CA124020	25		105CA224020			
22	287.20	267.72	25		105CA124022						
25	323.47	303.99	25	12.25	105CA124025	25		105CA224025			
30	383.97	364.49	30		105CA124030	30		105CA224030			
32	408.19	388.71	30		105CA124032						
38	480.85	461.37	30		105CA124038	30		105CA224038			
45	565.67	546.19	30		105CA124045	40		105CA224045			
57	711.1	691.62			105CA124057	40		105CA224057			